



## **WILD BOAR FENCING**

Ultra robust fencing for the management  
of wild boar

## Applications

Tornado Wild Boar Fencing manages the movement of wild boar in urban and rural environments, segregating valuable livestock and crops, and reducing road and rail interaction.

The wild boar population has grown in recent years, causing millions of Euros of damage to crops, and spreading diseases such as Swine Fever and TB. They are also estimated to have been a factor in more than 20% of all rural vehicle collisions.



### Urban, Road and Rail

- Use Tornado Wild Boar Fencing to prevent access of wild boar onto roads, runways and rail lines and therefore reduce collisions
- Prevent the costly damage to domestic environments and disruption to amenity sites such as schools and gardens

### Crop and Livestock Protection

- Prevent wild boar from destroying crops by restricting their access with Tornado Wild Boar Fencing
- Prevent the transfer of disease to domestic livestock by excluding them from such areas with Tornado Wild Boar Fencing

## Titan Joint

Tornado Titan Joint Fencing is manufactured from high tensile steel wires and has been specifically designed for high pressure applications. The fence offers optimum durability and an exceptional resistance to impact with the ability to withstand the full potential force of a wild boar. The rigid design incorporates a continuous vertical stay wire which is joined to the line wires with an innovative non-slip knot for ultra strength.

## Flex Joint

Tornado Flex Joint Fencing allows flexibility under pressure. The hinged construction means netting can be turned out at an angle of 90 degrees. The unique 8cm spacing between vertical wires provides the strength required for restricting wild boar. Manufactured from high tensile steel wires, this fencing is engineered for durability and resistance to wear. Tornado Flex is the best product for trenching and turning out and is easy to erect and bury especially on undulating ground.


## Titan Joint Features

- High tensile steel wire with long life span
- Innovative non-slip knot and heavily galvanised joint for extra strength
- Available in 100m rolls for easy installation
- Cost effective – requires fewer posts than mild steel fencing and is also suitable for the management of deer
- Quality assured – exceeds European standards
- Easy installation and minimal maintenance

### Titan Knot



Please note: All drawings not to scale




## Flex Joint Features

- Unique 8cm vertical spacing and high tensile steel wire for enhanced strength
- Design is ideal for trenching and turning out
- Cost effective – requires fewer posts than mild steel fencing and is also suitable for the management of deer
- Quality assured – exceeds European standards
- Easy installation and minimal maintenance

### Flex Knot

Please note: All drawings not to scale



Tornado has specially designed a unique range of fences that can be used to control and better manage the problem of wild boar. Tornado Wild Boar Fencing is backed by the company's three decades of expertise, unparalleled quality standards and high levels of customer service.

Wild boar are known to spread disease, cause agricultural damage and be a danger on the roads.




To mitigate risks, specialist ultra robust fencing is essential to prevent breach by wild boar through lifting up, treading down, or pushing through. Tornado Wild Boar Fencing specialists recommend a one metre high fence with 40cms buried for most situations, with a single high tensile barbed wire erected along the fence line at muzzling height and electric offsets in areas of high pressure.



## Specifications

Net Styles	No. of Lines	Top & Bottom Line Wire Dia (mm)	Intermediate Line Wire Dia (mm)	Distance between verticals (cm)	Roll Height (kg)	Roll Length (m)	Roll Weight (kg)
HT15/158/8	15	2.50	2.50	8	158	50	89
HT17/194/8	17	2.50	2.50	8	194	50	104
HT19/238/8	19	2.50	2.50	8	238	50	121
T16/136/15	16	2.50	2.50	15	136	100	130
T19/195/15	19	2.50	2.50	15	195	100	162
T21/240/15	21	2.50	2.50	15	240	100	186




Tornado Wire Ltd

**SALES:** Waterloo Road Estate • Bidford-on-Avon • Warwickshire • England • B50 4JH

Tel: +44 (0) 845 071 0890 • Fax: +44 (0) 845 071 0891

[sales@tornadowire.com](mailto:sales@tornadowire.com) • [www.tornadowire.com](http://www.tornadowire.com)



Stockist address: